

TECHNICAL SHEET - MATTE LOOK SEALER

SEALER MATTE LOOK

TECHNICAL SHEET

DESCRIPTION

Matte look protective sealer, transparent and water-based for MicroConcrete surface. It is anti-dust. It prevents the crumbling of concrete. It is stain resistant, water repellent and easy to clean. Preserves the MicroConcrete color. Ideal for vertical surfaces, such as a decorative wall or fireplace mantle.



MATTE LOOK





Low VOC



Waterborne products







Available sizes 1L and 3,64L



Coverage

1L 1^{rst} coat: 125 sq. ft to 150 sq. ft Additional coats: 175 sq. ft to 250 sq. ft

3,64L1^{rst} coat:
450 sq. ft to 550 sq. ft
Additional coats:
635 sq. ft to 910 sq. ft



TECHNICAL SHEET

APPLICATION

- 1. Stir the MicroConcrete sealer and let it rest for 5 to 10 minutes.
- 2. Pour in a paint tray.
- 3. Apply with a brush or roller or Finitec applicator, a thin coat making sure to saturate the surface with MicroConcrete.
- 4. Wait 2 hours before applying a second coat, make sure it is dry to the touch. See the application guide for detailed instructions.

DO NOT EXCEED 12 HOURS BETWEEN COATS. DO NOT APPLY MORE THAN 2 COATS. DO NOT APPLY AN ADDITIONAL COAT IF THE SURFACE IS SATURATED.

NUMBER OF COATS

Surfaces	Number of coats
Wall	1 to 2
Countertop, furniture, table, floor	1 to 2
Shower	2

PHYSICAL PROPERTIES

Gloss	Matte
Color	Translucid
VOC	62 g/L
pH	4,5 ± 0,1
Resistance to chemicals	Excellent
Drying time (depending on conditions)	Touch: between 1 and 2 hours Recoat: 2 hours Circulation: 12 hours
Density (g/mL)	1,000 ± 0,005

TECHNICAL DATE

Coveredo	1L
Coverage	1rst coat:
	125 sq. ft to 150 sq. ft
	Additional coats:
	175 sq.ft to 250 sq.ft
	3,64L
	1rst coat :
	450 sq. ft to 550 sq. ft
	Additional coats:
	635 sq. ft to 910 sq. ft
A!	
Available sizes	1L and 3,64L
Shelflife	12 months when kept in the
	original container)
Application tools	Finitec applicator,
	roller or brush
<u> </u>	
Cleaning tool	Water
Storage	Between 10 and 30 °C
	(50 and 85 °F)

FIRST AID

In case of eye or skin contact, rinse well with water for 15 minutes. In case of inhalation, allow the victim to rest in a well-ventilated area. If swallowed, seek medical attention. Do not induce vomiting. Have conscious person drink several glasses of water.