



Distributions Fillion Marquis International Itée

925 Rue Gaudette, Saint-Jean-sur-Richelieu (Québec) J3B 7S7
Tel : 450 349-2226 • Fax : 450 349-1799 • Toll Free : 1 877 989-2226
passeportelite.com

TECHNICAL DATA SHEET

**STEINA INTERIOR
WATER BASED STAIN
PE700682 to PE700688
PE700691 to PE700697**

DESCRIPTION

STEINA interior water-based stain is a ready to use wiping stain recommended for interior wood furniture and woodworks. It can be applied to all wood species.

Size 472ml

Tintable base (414ml) - PE700682
Ink - 900 - PE700683
Rarewood - 901 - PE700684
Heritage - 902 - PE700685
Raw Honey - 903 - PE700686
Saffron - 904 - PE700687
Alabaster - 905 - PE700688

Size 1L

Tintable base (850ml) - PE700691
Ink - 900 - PE700692
Rarewood - 901 - PE700693
Heritage - 902 - PE700694
Raw Honey - 903 - PE700695
Saffron - 904 - PE700696
Alabaster - 905 - PE700697

PRIMARY APPLICATION

- Furniture
- Woodwork
- Cabinets
- Floors
- Doors

ADVANTAGES

- Ready to use and easy to apply
- No pre-stain or conditioner required
- Does not cause wood grain raising
- Does not leave lapping marks
- High coverage
- Can be top-coated with STEINA Water-based varnish or all kinds of varnish.

TECHNICAL DATA

pH	8.0-8.5
Solids	10-23 ± 1 % (by weight); 8-13 ± 1 % (by volume)
Viscosity	10-11 seconds (Ford cup #4) at 77 °F
Density	1.05-1.17 kg/l
Drying time	Approximately 1 hour at 70°F and 50% relative humidity
Coverage	Up to 160-210 sq. ft/L
Recommended applicator	Sponge
Storage	Minimum temperature 41°F, maximum temperature 95°F. Freeze-thaw stable. PROLONGED EXPOSURE TO FREEZING TEMPERATURES MAY AFFECT THE PRODUCT'S PROPERTIES. KEEP OUT OF REACH OF CHILDREN.
Shelf life	At least 1 year in a well closed container

SUREFACE PREPARATION

Surfaces must be clean, dry and free of wax, grease, dirt and dust. Wood surfaces should be sanded smoothly. Do not use steel wool.



Distributions Fillion Marquis International Itée

925 Rue Gaudette, Saint-Jean-sur-Richelieu (Québec) J3B 7S7
Tel : 450 349-2226 • Fax : 450 349-1799 • Toll Free : 1 877 989-2226
passeportelite.com

TECHNICAL DATA SHEET

STEINA INTERIOR
WATER BASED STAIN
PE700682 to PE700688
PE700691 to PE700697

APPLICATION

Step 1

Surfaces must be clean, dry and free of wax, grease, dirt and dust.

Step 2

Wood surfaces should be sanded smoothly. Do not use steel wool.

Step 3

Mix the stain thoroughly before use.

Step 4

Put a small quantity of stain onto the sponge and rub with the wood grain. Wipe away the excess with a soft, clean cloth. Work on small sections at a time to avoid allowing the stain to dry between applications.

Step 5

Allow the stain to dry thoroughly before applying a clear finish.

CLEANING

Clean applicator and equipment with soapy water

IMPORTANT NOTICE

To the best of our knowledge, the information contained herein is accurate. Since conditions and methods are beyond our control, no warranty is expressed or implied as for the final result. The user is advised to access the suitability of the product on a test area before application.