\_\_\_\_\_

5990

#### MATERIAL SAFETY DATA SHEET PAGE 1

ABBREVIATIONS: NA=NOT

OT APPLICABLE ND=NOT DETERMINED

NE=NOT ESTABLISHED

HEALTH= 0

FLAMMABILITY= 0 REACTIVITY= 0

PERSONAL PROTECTION=+

+ SEE SECTION VII

WHMIS CLASSIFICATION: D2

\_\_\_\_\_

SECTION I PRODUCT IDENTIFICATION AND USE

\_\_\_\_\_

MATERIAL NAME/IDENTIFIER: EXCEL WATERPROOFING SEALER (Comes in ready to use and Concentrate form)

MANUFACTURER/SUPPLIER: GH INTERNATIONAL SEALANTS ULC

2540 RENA ROAD

MISSISSAUGA, ONTARIO L4T3C9

PHONE: 1-905-677-5522

EMERGENCY: 1-613-996-6666 CANUTEC (24 hr. emergency information only)

CHEMICAL FAMILY: Mixture

CHEMICAL FORMULA/MOLECULAR WT: NA

TRADE NAME AND SYNONYMS: Excel MATERIAL USE: Waterproofing sealer

P.I.N.: NA

## SECTION II HAZARDOUS INGREDIENTS

CHEMICAL NAME	OSHA-PEL	ACGIH-TLV	LD50/LC50	%WT/WT
NA -		-	-	-
			-	

# SECTION III PHYSICAL DATA

APPEARANCE, PHYSICAL STATE AND ODOUR: Milky White

ODOUR THRESHOLD (PPM): ND

SPECIFIC GRAVITY/DENSITY (G/ML): 0.98-1.01

VAPOUR PRESSURE (MM): Same as water

VAPOUR DENSITY (AIR=1): <1

EVAPORATION RATE (BUAC=1): >1

BOILING POINT: 100 C (212 F)

MELTING/FREEZING POINT: 0 C (32 F)

PH: 8.0

COEFFICIENT OF WATER/OIL DISTRIBUTION: ND

SOLUBILITY IN WATER: Miscible % VOLATILE BY VOLUME: 90%

\_\_\_\_\_

#### SECTION IV FIRE OR EXPLOSION DATA

FLASH POINT: NA

AUTO IGNITION TEMPERATURE: NA

SENSITIVITY TO MECHANICAL IMPACT: ND

EXPLOSIVE POWER: ND UPPER EXPLOSION LIMIT: NA. LOWER EXPLOSION LIMIT: NA RATE OF BURNING: ND

SENSITIVITY TO STATIC DISCHARGE: ND

EXTINGUISHING MEDIA: Use water fog, alcohol foam or dry extinguishing media. Good fire fighting practice dictates the use of self-

contained breathing apparatus and turn out gear.

SPECIAL FIRE FIGHTING PROCEDURES: Same as above

UNUSUAL FIRE AND EXPLOSION HAZARDS:

None

FLAMMABILITY: NO

UNDER WHAT CONDITIONS: NA

SECTION V REACTIVITY DATA

STABILITY - MATERIAL IS: Stable

CONDITIONS TO AVOID:

NA

HAZARDOUS DECOMPOSITION/COMBUSTION PRODUCTS:

INCOMPATIBILITY (MATERIALS TO AVOID):

NA

HAZARDOUS POLYMERIZATION:

Will not occur

SECTION VI TOXICOLOGICAL PROPERTIES

PRIMARY ROUTES OF ENTRY:

Inhalation - Skin - Ingestion

EFFECTS OF OVEREXPOSURE, CHRONIC: Contact with eyes may result in irritation.

EFFECTS OF OVEREXPOSURE, ACUTE:

Skin: May result in irritation. Ingestion may result in gastric disturbances. Inhalation of vapour/mist may irritate THE respiratory tract.

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: Unknown

CARCINOGENICITY: NO

LD50 OF PRODUCT: ND LC50 OF PRODUCT: ND

IRRITANT: In some cases SENSITIZER: NO

SYNERGISTIC MATERIALS: NA

TERATOGENIC: NO REPRODUCTIVE EFFECTS: NO MUTAGENIC: NO

WHMIS CLASSIFICATION: D2

SECTION VII PREVENTIVE MEASURES, SAFE HANDLING AND USE, REGULATORY

LEAK AND SPILL PROCEDURES:

-----

Dike spill area.

WASTE DISPOSAL METHOD:

Dispose of according to Federal, State and Local regulations.

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE: NA

OTHER:

Keep out of the reach of children!

VENTILATION:

As necessary to maintain exposure below TLV

RESPIRATORY PROTECTION:

Niosh/msha approved organic vapour respirator as necessary.

PROTECTIVE GLOVES: Gloves, coveralls, apron, boots as necessary to prevent skin contact.

EYE PROTECTION: Chemical goggles. OTHER PROTECTIVE EQUIPMENT: WORK/HYGIENIC PRACTICES:

Remove contaminated clothing, launder before reuse.

RCRA HAZARDOUS WASTE NO: NA

DOT PROPER SHIPPING NAME: Waterproofing sealer

DOT HAZARD CLASS: Not regulated

VOLATILE ORGANIC COMPOUNDS (VOC): <100 G/L

TDG CLASSIFICATION (CAN): Not regulated

## SECTION VIII FIRST AID MEASURES

# EMERGENCY AND FIRST AID PROCEDURES:

EYES: Immediately wash eyes with running water for 15 minutes. If irritation develops, consult with a physician. skin: wash affected area with soap and water. Remove and launder contaminated clothing before reuse. If irritation develops consult a physician. Ingestion: If swallowed, dilute with copious amounts of water. Never give fluids or induce vomiting if the victim is unconscious or having convulsions. Get immediate medical attention. inhalation: Move to fresh air. Aid in breathing. If necessary get immediate medical attention.

### \_\_\_\_\_

## SECTION IX PREPARATION INFORMATION

-----

Prepared by: Technical Services Dept.

Revised Date: Jan. 2015

The information accumulated herein is believed to be accurate but is not warranted to be, whether originating with the Company or not. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances.

5990