

Comp. A I Countertop Epoxy I PE700907 • PE700908

Date & Version: October 7, 2022 Version 1

### **Section 1. Identification**

Product identifier Component A | Countertop Epoxy | PE700907 • PE700908

Other means of identification None

Initial manufacturer identifier SCI Coatings Inc.

2821 Blvd Le Corbusier Laval, Quebec H7L 4J5 www.scicoatings.com

Emergency Phone No. 24-hour Emergency Telephone Number Canada (CANUTEC) 613-996-6666

### Section 2. Hazard identification

Classification of hazardous product (name of the category or subcategory of the hazard class)

Skin irritation (Category 2)

Sensitization – Skin (Category 1)

Eye irritation (Category 2A)

Hazardous to the aquatic environment – Chronic (Category 2)

Information elements (symbols, signal words, hazard statements and precautionary statements of the category/subcategory)





#### Warning

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H411 Toxic to aquatic life with long lasting effects.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P264 Wash hands/nails/face thoroughly after handling.

P272 Contaminated work clothing should not be allowed out of the workplace.

P280 Wear gloves/protective clothing/eye protection/face protection.

P302+P352 IF ON SKIN, Wash with plenty of water for several minutes.

None

P333 + P313 IF SKIN irritation or rash occurs: Get medical attention.

P362+P364 Take off contaminated clothing and wash it before reuse.

P305 + P351 + P338 IF IN EYES, Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337 + P313 If eye irritation persists: Get medical attention.

P273 Avoid release to the environment.

P391 Collect spillage.

P501 Dispose of contents/container into safe container in accordance with local, regional or national regulations.

Other hazards known

### Section 3. Composition/information on ingredients

Chemical name (common name/synonyms)CAS number or otherConcentration (%)\*Reaction product - Bisphenol A (Epichlorohydrin)25068-38-660-100Alkyl (C12-C14) glycidyl ether68609-97-21-10Benzyl Alcohol100-51-61-10

### Section 4. First-aid measures

Inhalation IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a doctor if you feel unwell. If

experiencing respiratory symptoms: Call a doctor.

Ingestion IF SWALLOWED: Immediately call a doctor. DO NOT INDUCE VOMITING. NEVER give anything by mouth if victim

is rapidly losing consciousness, or is unconscious or convulsing. Rinse mouth thoroughly with water. Have victim drink

two glasses of water. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration.

<sup>\*</sup> Statement - This safety data sheet provides concentration range(s) instead of the actual concentration(s) considered trade secret(s).



Comp. A I Countertop Epoxy I PE700907 • PE700908

Date & Version: October 7, 2022 Version 1

Skin contact IF ON SKIN, Wash with plenty of water for several minutes. (15-20) IF SKIN irritation or rash occurs: Get medical

attention.

Eye contact IF IN EYES, Rinse cautiously with water for several minutes (15-20). Remove contact lenses, if present and easy to do.

Continue rinsing. If eye irritation persists: Get medical attention.

Most important symptoms and effects (acute or delayed)

Causes serious eye irritation. Causes skin irritation.

In all cases, call a doctor. Do not forget this document.

### **Section 5. Fire-fighting measures**

## Specific hazards of the hazardous product (hazardous combustion products)

Carbon oxides and other irritant/toxic gases and fumes.

#### Suitable and unsuitable extinguishing media

In case of fire: Use carbon dioxide, chemical powder agent and appropriate foam to extinguish surrounding products.

### Special protective equipment and precautions for fire-fighters

During a fire, irritating/toxic smoke and fumes may be generated. Do not enter fire area without proper protection. Firefighters should wear proper protective equipment and self-contained breathing apparatus with full facepiece. Shield personnel to protect from venting, rupturing or bursting cans. Move containers from fire area if it can be done without risk. Water spray may be useful in cooling equipment and cans exposed to heat and flame.

### Section 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

Restrict access to area until completion of clean-up. Ensure clean-up is conducted by trained personnel only. All persons dealing with clean-up should wear the appropriate protective equipment (See Section 8).

### Methods and materials for containment and cleaning up

Ventilate area of release. Stop the leak if it can be done safely. Contain and absorb any spilled liquid concentrate with inert absorbent material, then place material into a container for later disposal (see Section 13). Contaminated absorbent material may pose the same hazards as the spilled product. Notify the appropriate authorities as required.

### Section 7. Handling and storage

### **Precautions for safe handling**

Wear gloves/protective clothing/eye protection/face protection.

Before handling, it is very important that engineering controls are operating, and that protective equipment requirements and personal hygiene measures are being followed. People working with this chemical should be properly trained regarding its hazards and its safe use. Inspect containers for leaks before handling. Label containers appropriately. Ensure proper ventilation. Do not breathe dust/fume/gas/mist/vapours/spray. Avoid contact with eyes, skin and clothing. Keep away from heat, sparks and flame. Avoid generating high concentrations of dusts, vapours or mists. Keep away from incompatible materials (Section 10). Keep containers closed when not in use. Empty containers are always dangerous. Refer also to Section 8.

### Conditions for safe storage, including any incompatibilities

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Store locked up. Store away from incompatible materials (Section 10). Inspect all incoming containers to make sure they are properly labelled and not damaged. Storage area should be clearly identified, clear of obstruction and accessible only to trained personnel. Inspect periodically for damage or leaks.

# Section 8. Exposure controls/Personal protection

#### Control parameters (biological limit values or exposure limit values and source of those values)

Exposure limits: None known.

## Appropriate engineering controls

Use under well-ventilated conditions. Local exhaust ventilation system is recommended to maintain concentrations of contaminants below exposure limits. Make emergency eyewash stations, safety/quick-drench showers, and washing facilities available in work area.

## Individual protection measures/personal protective equipment

Respiratory protection is required if the concentrations are higher than the exposure limits. Use a NIOSH approved respirators if the exposure limits are unknown. We recommend wearing chemically protective gloves (impervious), and other protective clothing to prevent prolonged or repeated skin contact during all handling operations. We recommend wearing protective chemical splash goggles/safety glasses or other to prevent mists from entering the eyes. Wash hands/nails/face thoroughly after handling. Do not eat, drink or smoke when using this product. Practice good personal hygiene after using this material. Remove and wash contaminated work clothing before re-use.

# Section 9. Physical and chemical properties



Comp. A I Countertop Epoxy I PE700907 • PE700908

Date & Version: October 7, 2022 Version 1

**Odour threshold** Not available

Not available

Melting/freezing point Not available Initial boiling point/range Not available

Flash point > 93°C

**Evaporation rate** Not available

Flammability (solids and gases) Not available

Upper and lower flammability/explosive limits Not available

Relative density 1.127 **Solubility** Not available

Partition coefficient - n-octanol/water Not available

**Auto-ignition temperature** Not available **Decomposition temperature** Not available

Viscosity Not available Not available VOC None known Other

### Section 10. Stability and reactivity

#### Reactivity

Does not react under the recommended storage and handling conditions prescribed.

#### **Chemical stability**

Stable under the recommended storage and handling conditions prescribed.

### Possibility of hazardous reactions

None known

### Conditions to avoid (static discharge, shock or vibration)

None known

### **Incompatible materials**

Oxidizing materials; etc.

### **Hazardous decomposition products**

None known

## Section 11. Toxicological information

## Information on the likely routes of exposure (inhalation, ingestion, skin and eye contact)

Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation.

#### Symptoms related to the physical, chemical and toxicological characteristics

Skin irritation, redness, stinging, pain; Eye irritation, redness, tearing;

### Delayed and immediate effects (chronic effects from short-term and long-term exposure)

Skin Sensitization – Possible;

Respiratory Sensitization – No data available;

Germ Cell Mutagenicity – No data available;

Carcinogenicity - No ingredient listed by IARC, ACGIH, NTP or OSHA;

Reproductive Toxicity – No data available;

Specific Target Organ Toxicity — Single Exposure – No data available; Specific Target Organ Toxicity — Repeated Exposure – No data available;

Aspiration Hazard – No data available;

Health Hazards Not Otherwise Classified - No data available.

#### Numerical measures of toxicity (ATE; LD<sub>50</sub> & LC<sub>50</sub>)

CAS 100-51-6 LD<sub>50</sub>, Oral - Rat 1360 mg/kg;

ATE not available in this document.

### Section 12. Ecological information

**Ecotoxicity (aquatic and terrestrial information)** No data available for this product

Persistence and degradability No data available

Bioaccumulative potential No data available

**Mobility in soil** No data available

Other adverse effects Toxic to aquatic life with long lasting effects.

## **Section 13. Disposal considerations**

# Information on safe handling for disposal/methods of disposal/contaminated packaging

Dispose of contents/container into safe container in accordance with local, regional or national regulations.

# **Section 14. Transport information**



Comp. A I Countertop Epoxy I PE700907 • PE700908

Date & Version: October 7, 2022 Version 1

UN number; Proper shipping name; Class(es); Packing group (PG) of the TDG Regulations

Not regulated

UN number; Proper shipping name; Class(es); Packing group (PG) of the 49 CFR (USA)

Not regulated except in bulk

UN number; Proper shipping name; Class(es); Packing group (PG) of the IMDG (maritime)

UN3082; ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (epichlorhydrin); Class 9; PG III;

UN number; Proper shipping name; Class(es); Packing group (PG) of the IATA (air)

UN3082; ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (epichlorhydrin); Class 9; PG III;

**Special precautions (transport/conveyance)** None

**Environmental hazards (IMDG or other)** Marine pollutant

Bulk transport (usually more than 450 L in capacity) Possible

## **Section 15. Regulatory information**

Safety/health Canadian regulations specifics Refer to Section 2 for the appropriate classification. This product has been classified in accordance

with the hazard criteria of the Hazardous Products Regulations (HPR).

**Environmental Canadian regulations specifics** Refer to Section 3 for ingredient(s) of the DSL

### Safety/health/environmental outside regulations specifics

United States OSHA information: This product is regulated according to OSHA (29 CFR).

United States EPA (Environmental Protection Agency) information: 40 CFR Refer to the ingredients listed in Section 3 & Sections 12; 13 & 14.

United States TCSA information: Refer to the ingredients listed in Section 3.

National Fire Protection Association (NFPA):

INSTABILITY: 0 SPECIAL HAZARDS: Refer to Section 2 & 3. HEALTH: 1 FLAMMABILITY: 1

HAZARD SCALE: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe

Proposition 65: This product does not contain a chemical known to the State of California to cause cancer or other reproductive harm.

### **Section 16. Other information**

Date of the latest revision of the safety data sheet March 11, 2020 version 1 (NSS ENTREPRISE INC.)

Safety Data Sheets from manufacturer/supplier & from Canadian Centre for Occupational Health and Safety, CCOHS. References

### **Abbreviations**

**ACGIH** American Conference of Governmental Industrial Hygienists

Acute toxicity estimate ATE CAS Chemical Abstract Service DSL Domestic Substance List

International Agency for Research on Cancer **IARC** International Air Transport Association IATA International Maritime Dangerous Goods Code **IMDG** 

LC Lethal concentration Lethal Dosage LD

National Institute for Occupational Safety and Health **NIOSH** 

National Toxicology Program (U.S.A.) NTP

**OSHA** Occupational Safety and Health Administration (U.S.A.)

Permissible Exposure Limit PEL. STEL Short-term Exposure Limit

Transport of dangerous goods in Canada TDG

TLV Threshold Limit Value **TSCA** Toxic Substances Control Act **TWA** Time Weighted Average

WHMIS Workplace Hazardous Materials Information System

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.



Comp. B I Countertop Epoxy I PE700907 • PE700908

Date & Version: October 7, 2022 Version 1

## **Section 1. Identification**

Product identifier Component B | Countertop Epoxy | PE700907 • PE700908

Other means of identification None

Recommended use and restrictions on use Hardener

**Initial manufacturer identifier** 

SCI Coatings Inc. 2821 Blvd Le Corbusier Laval, Quebec H7L 4J5 www.scicoatings.com

Emergency Phone No. 24-hour Emergency Telephone Number Canada (CANUTEC) 613-996-6666

### Section 2. Hazard identification

Classification of hazardous product (name of the category or subcategory of the hazard class)

Acute toxicity oral (Category 4)

Acute toxicity dermal (Category 4)

Skin corrosion (Category 1)

Serious eye damage (Category 1)

Skin sensitization (Category 1)

Reproductive toxicity (Category 2)

Hazardous to the aquatic environment – Acute (Category 1)

Hazardous to the aquatic environment – Chronic (Category 1)

Information elements (symbols, signal words, hazard statements and precautionary statements of the category/subcategory)









## Danger

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H361 Suspected of damaging fertility or the unborn child.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood.

P260 Do not breathe dusts or mists.

P264 Wash hands/nails/face thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P272 Contaminated work clothing should not be allowed out of the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P312 Call a doctor if you feel unwell.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. P363 Wash contaminated clothing before reuse. P332 + P313 IF SKIN irritation or rash occurs: Get medical attention.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P310 Immediately call a doctor.

P308 + P313 IF exposed or concerned: Get medical attention.

P391 Collect spillage. P405 Store locked up. P501 Dispose of contents/container into safe container in accordance with local, regional or national regulations.

Other hazards known

None

## Section 3. Composition/information on ingredients

Chemical name (common name/synonyms)

CAS number or other 2855-13-2

Concentration (%) < 20

Isophorone diamine



Comp. B I Countertop Epoxy I PE700907 • PE700908

Date & Version: October 7, 2022 Version 1

 Benzyl alcohol
 100-51-6
 < 5</td>

 4-Nonylphenol, branched
 84852-15-3
 < 20</td>

 Polyoxypropylene diamine
 9046-10-0
 < 20</td>

 Trimethylolpropane poly(oxypropylene)triamine
 39423-51-3
 30-60

#### **Section 4. First-aid measures**

**Inhalation** IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a doctor.

Ingestion IF SWALLOWED: Immediately call a doctor. DO NOT INDUCE VOMITING. NEVER give anything by mouth if victim

is rapidly losing consciousness, or is unconscious or convulsing. Rinse mouth thoroughly with water. Have victim drink

two glasses of water. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration.

Skin contact IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water (15-20 minutes). Wash

contaminated clothing before reuse.

Eye contact IF IN EYES, Rinse cautiously with water for several minutes (15-20). Remove contact lenses, if present and easy to do.

Continue rinsing. If eye irritation persists: Get medical attention.

Most important symptoms and effects (acute or delayed) Causes severe skin, respiratory or digestive tract burns and eye damage.

In all cases, call a doctor. Do not forget this document.

treatment

### **Section 5. Fire-fighting measures**

#### Specific hazards of the hazardous product (hazardous combustion products)

Carbon oxides and other irritant/toxic gases and fumes.

### Suitable and unsuitable extinguishing media

In case of fire: Use carbon dioxide, chemical powder agent and appropriate foam to extinguish surrounding products.

### Special protective equipment and precautions for fire-fighters

During a fire, irritating/toxic smoke and fumes may be generated. Do not enter fire area without proper protection. Firefighters should wear proper protective equipment and self-contained breathing apparatus with full facepiece. Shield personnel to protect from venting, rupturing or bursting cans. Move containers from fire area if it can be done without risk. Water spray may be useful in cooling equipment and cans exposed to heat and flame.

### Section 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

Restrict access to area until completion of clean-up. Ensure clean-up is conducted by trained personnel only. All persons dealing with clean-up should wear the appropriate protective equipment (See Section 8).

## Methods and materials for containment and cleaning up

Ventilate area of release. Stop the leak if it can be done safely. Contain and absorb any spilled liquid concentrate with inert absorbent material, then place material into a container for later disposal (see Section 13). Contaminated absorbent material may pose the same hazards as the spilled product. Notify the appropriate authorities as required.

# Section 7. Handling and storage

#### Precautions for safe handling

Wear gloves/protective clothing/eye protection/face protection.

Before handling, it is very important that engineering controls are operating, and that protective equipment requirements and personal hygiene measures are being followed. People working with this chemical should be properly trained regarding its hazards and its safe use. Inspect containers for leaks before handling. Label containers appropriately. Ensure proper ventilation. Do not breathe dust/fume/gas/mist/vapours/spray. Avoid contact with eyes, skin and clothing. Keep away from heat, sparks and flame. Avoid generating high concentrations of dusts, vapours or mists. Keep away from incompatible materials (Section 10). Keep containers closed when not in use. Empty containers are always dangerous. Refer also to Section 8.

# Conditions for safe storage, including any incompatibilities

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Store locked up. Store away from incompatible materials (Section 10). Inspect all incoming containers to make sure they are properly labelled and not damaged. Storage area should be clearly identified, clear of obstruction and accessible only to trained personnel. Inspect periodically for damage or leaks.

<sup>\*</sup> Statement - This safety data sheet provides concentration range(s) instead of the actual concentration(s) considered trade secret(s).



Comp. B | Countertop Epoxy | PE700907 • PE700908

Date & Version: October 7, 2022 Version 1

## Section 8. Exposure controls/Personal protection

Control parameters (biological limit values or exposure limit values and source of those values)

Exposure limits: None;

#### **Appropriate engineering controls**

Use under well-ventilated conditions. Local exhaust ventilation system is recommended to maintain concentrations of contaminants below exposure limits. Make emergency eyewash stations, safety/quick-drench showers, and washing facilities available in work area.

## Individual protection measures/personal protective equipment

Respiratory protection is required if the concentrations are higher than the exposure limits. Use a NIOSH approved respirators if the exposure limits are unknown. We recommend wearing chemically protective gloves (impervious), and other protective clothing to prevent prolonged or repeated skin contact during all handling operations. We recommend wearing protective chemical splash goggles/safety glasses or other to prevent mists from entering the eyes. Wash hands/nails/face thoroughly after handling. Do not eat, drink or smoke when using this product. Practice good personal hygiene after using this material. Remove and wash contaminated work clothing before re-use.

## Section 9. Physical and chemical properties

Appearance, physical state/colour Viscous liquid Not available Vapour pressure **Odour** Characteristic Vapour density Not available **Odour threshold** Not available Relative density 0.967

Not available **Solubility** Not available

Not available Melting/freezing point **Partition** coefficient Not available

octanol/water

Initial boiling point/range Not available Not available **Auto-ignition temperature** > 93°C Flash **Decomposition temperature** Not available

point

**Evaporation rate** Not available

Viscosity Not available Flammability (solids and gases) Not available VOC Not available Upper and lower flammability/explosive limits Not available Other None known

### Section 10. Stability and reactivity

### Reactivity

Does not react under the recommended storage and handling conditions prescribed.

#### **Chemical stability**

Stable under the recommended storage and handling conditions prescribed.

#### Possibility of hazardous reactions

None known

#### Conditions to avoid (static discharge, shock or vibration)

None known

### **Incompatible materials**

Oxidizing materials; Acids; etc.

### Hazardous decomposition products

None known

### **Section 11. Toxicological information**

#### Information on the likely routes of exposure (inhalation, ingestion, skin and eye contact)

Harmful if swallowed. Harmful in contact with skin. Causes severe skin burns and eye damage. May cause an allergic skin reaction. Suspected of damaging fertility or the unborn child.

### Symptoms related to the physical, chemical and toxicological characteristics

Skin burn, redness, stinging, pain; Eye burn, redness, tearing; Digestive tract burn; Respiratory tract burn, coughing, shortness of breath, dizziness, drowsiness, nausea and headaches.

# Delayed and immediate effects (chronic effects from short-term and long-term exposure)

Skin Sensitization – Possible;

Respiratory Sensitization – No data available;



Comp. B | Countertop Epoxy | PE700907 • PE700908

Date & Version: October 7, 2022 Version 1

Germ Cell Mutagenicity – No data available;

Carcinogenicity – No ingredient listed by IARC, ACGIH, NTP or OSHA;

Reproductive Toxicity – Possible;

Specific Target Organ Toxicity — Single Exposure – No data available; Specific Target Organ Toxicity — Repeated Exposure – No data available;

Aspiration Hazard – No data available;

Health Hazards Not Otherwise Classified - No data available.

#### Numerical measures of toxicity (ATE; LD<sub>50</sub> & LC<sub>50</sub>)

CAS 84852-15-3 LD<sub>50</sub> Oral - Rat - 1246 mg/kg & LD<sub>50</sub> Dermal - Rabbit - 2040 mg/kg; CAS 2855-13-2 LD<sub>50</sub>, Oral - Rat 1030 mg/kg; CAS 100-LD<sub>50</sub>, Oral - Rat 1360 mg/kg; CAS 9046-10-0 LD<sub>50</sub>, Oral- Rat - 2885.3 mg/kg; LC<sub>50</sub>, Inhalation - Rat - 8h > 0.74 mg/l; LD<sub>50</sub>, Dermal-51-6 Rabbit - 2980 mg/kg;

ATE not available in this document.

## Section 12. Ecological information

**Ecotoxicity** (aquatic and terrestrial No data available for this product

information)

Persistence and degradability No data available

Bioaccumulative potential No data available

Mobility in soil No data available

Other adverse effects Very toxic to aquatic life with long lasting effects.

## Section 13. Disposal considerations

### Information on safe handling for disposal/methods of disposal/contaminated packaging

Dispose of contents/container into safe container in accordance with local, regional or national regulations.

#### **Section 14. Transport information**

UN number; Proper shipping name; Class(es); Packing group (PG) of the TDG Regulations

UN3267; CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (Isophorone diamine; P-Nonylphenol); CLASS 8; PG III

UN number; Proper shipping name; Class(es); Packing group (PG) of the 49 CFR (USA)

UN3267; CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (Isophorone diamine; P-Nonylphenol); CLASS 8; PG III

UN number; Proper shipping name; Class(es); Packing group (PG) of the IMDG (maritime)

UN3267; CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (Isophorone diamine; P-Nonylphenol); CLASS 8; PG III

UN number; Proper shipping name; Class(es); Packing group (PG) of the IATA (air)

UN3267; CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (Isophorone diamine; P-Nonylphenol); CLASS 8; PG III

**Special precautions** 

May also be shipped as a LIMITED QUANTITY in accordance with TDG.

(transport/conveyance)

**Environmental hazards (IMDG or other)** Marine Pollutant

Bulk transport (usually more than 450 L in capacity) Possible

### Section 15. Regulatory information

Safety/health Canadian regulations specifics

Refer to Section 2 for the appropriate classification. This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations (HPR).

**Environmental Canadian regulations specifics** 

Refer to Section 3 for ingredient(s) of the DSL

## Safety/health/environmental outside regulations specifics

United States OSHA information: This product is regulated according to OSHA (29 CFR).

United States EPA (Environmental Protection Agency) information: 40 CFR Refer to the ingredients listed in Section 3 & Sections 12; 13 & 14. United States TCSA information: Refer to the ingredients listed in Section 3.

National Fire Protection Association (NFPA):

HEALTH: 3 FLAMMABILITY: 1 INSTABILITY: 0 SPECIAL HAZARDS: Refer to Section 2 & 3.

HAZARD SCALE: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe

Proposition 65: This product does not contain a chemical known to the State of California to cause cancer or other reproductive harm.



Comp. B I Countertop Epoxy I PE700907 • PE700908

Date & Version: October 7, 2022 Version 1

## **Section 16. Other information**

Date of the latest revision of the safety data sheet

April 06, 2020 version 1 (NSS ENTREPRISE INC.)

References Safety Data Sheets from manufacturer/supplier & from Canadian Centre for Occupational Health and Safety, CCOHS.

**Abbreviations** 

ACGIH American Conference of Governmental Industrial Hygienists

ATE Acute toxicity estimate
CAS Chemical Abstract Service
DSL Domestic Substance List

IARC International Agency for Research on Cancer
IATA International Air Transport Association
IMDG International Maritime Dangerous Goods Code

LC Lethal concentration LD Lethal Dosage

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program (U.S.A.)

OSHA Occupational Safety and Health Administration (U.S.A.)

PEL Permissible Exposure Limit STEL Short-term Exposure Limit

TDG Transport of dangerous goods in Canada

TLV Threshold Limit Value
TSCA Toxic Substances Control Act
TWA Time Weighted Average

WHMIS Workplace Hazardous Materials Information System

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.