

# CABOT SOLID COLOR OIL DECK STAIN (VOC)

## MACHINE TINT FORMULAS FOR (7600 SERIES) SOLID COLOR OIL DECK STAIN (VOC)

For use with PPG Colorant System

01/08		
ACORN <i>7608 MEDIUM BASE</i>		
QUART	GALLON	5 GALLON
<b>B - 14</b>	<b>B - 1Y8</b>	<b>B - 5Y40</b>
<b>C - 30</b>	<b>C - 2Y24</b>	<b>C - 12Y24</b>
<b>F - 4</b>	<b>F - 16</b>	<b>F - 1Y32</b>

01/08		
ALLAGASH <i>7607 DEEP BASE</i>		
QUART	GALLON	5 GALLON
<b>B - 22</b>	<b>B - 1Y40</b>	<b>B - 9Y8</b>
<b>C - 4.5</b>	<b>C - 18</b>	<b>C - 1Y42</b>
<b>D - 15.5</b>	<b>D - 1Y14</b>	<b>D - 6Y22</b>

01/08		
ARBORETUM <i>7608 MEDIUM BASE</i>		
QUART	GALLON	5 GALLON
<b>B - 17</b>	<b>B - 1Y20</b>	<b>B - 7Y4</b>
<b>C - 7</b>	<b>C - 28</b>	<b>C - 2Y44</b>
<b>D - 9.5</b>	<b>D - 38</b>	<b>D - 3Y46</b>
<b>E - 4</b>	<b>E - 16</b>	<b>E - 1Y32</b>

01/08		
BAKED BRICK <i>7606 NEUTRAL BASE</i>		
QUART	GALLON	5 GALLON
<b>B - 8</b>	<b>B - 32</b>	<b>B - 3Y16</b>
<b>C - 23</b>	<b>C - 1Y44</b>	<b>C - 9Y28</b>
<b>F - 24</b>	<b>F - 2Y0</b>	<b>F - 10Y0</b>
<b>V - 1Y24</b>	<b>V - 6Y0</b>	<b>V - 30Y0</b>

01/08		
BALSAM PINE <i>7606 NEUTRAL BASE</i>		
QUART	GALLON	5 GALLON
<b>C - 24</b>	<b>C - 2Y0</b>	<b>C - 10Y0</b>
<b>D - 30.5</b>	<b>D - 2Y26</b>	<b>D - 12Y34</b>
<b>L - 1Y24</b>	<b>L - 6Y0</b>	<b>L - 30Y0</b>
<b>W - 19</b>	<b>W - 1Y28</b>	<b>W - 7Y44</b>

01/08		
BARK <i>7606 NEUTRAL BASE</i>		
QUART	GALLON	5 GALLON
<b>B - 1Y1.5</b>	<b>B - 4Y6</b>	<b>B - 20Y30</b>
<b>C - 21</b>	<b>C - 1Y36</b>	<b>C - 8Y36</b>
<b>F - 10</b>	<b>F - 40</b>	<b>F - 4Y8</b>
<b>W - 8</b>	<b>W - 32</b>	<b>W - 3Y16</b>

# CABOT SOLID COLOR OIL DECK STAIN (VOC)

## MACHINE TINT FORMULAS FOR (7600 SERIES) SOLID COLOR OIL DECK STAIN (VOC)

For use with PPG Colorant System

01/08		
<u>BARK MULCH</u> 7606 NEUTRAL BASE		
QUART	GALLON	5 GALLON
<b>B - 24</b>	<b>B - 2Y0</b>	<b>B - 10Y0</b>
<b>C - 1Y6</b>	<b>C - 4Y24</b>	<b>C - 22Y24</b>
<b>F - 17</b>	<b>F - 1Y20</b>	<b>F - 7Y4</b>
<b>W - 3</b>	<b>W - 12</b>	<b>W - 1Y12</b>

01/08		
<u>BARN RED</u> 7606 NEUTRAL BASE		
QUART	GALLON	5 GALLON
<b>E - 12</b>	<b>E - 1Y0</b>	<b>E - 5Y0</b>
<b>F - 33</b>	<b>F - 2Y36</b>	<b>F - 13Y36</b>
<b>V - 1Y12</b>	<b>V - 5Y0</b>	<b>V - 25Y0</b>
<b>W - 22.5</b>	<b>W - 1Y42</b>	<b>W - 9Y18</b>

01/08		
<u>BEACHGRASS</u> 7601 WHITE BASE		
QUART	GALLON	5 GALLON
<b>C - 7</b>	<b>C - 28</b>	<b>C - 2Y44</b>
<b>F - 1</b>	<b>F - 4</b>	<b>F - 20</b>
<b>L - 33.5</b>	<b>L - 2Y38</b>	<b>L - 13Y46</b>
<b>Z - 5.5</b>	<b>Z - 22</b>	<b>Z - 2Y14</b>

01/08		
<u>BEECHWOOD GRAY</u> 7608 MEDIUM BASE		
QUART	GALLON	5 GALLON
<b>B - 32</b>	<b>B - 2Y32</b>	<b>B - 13Y16</b>
<b>C - 14.5</b>	<b>C - 1Y10</b>	<b>C - 6Y2</b>
<b>F - 1</b>	<b>F - 4</b>	<b>F - 20</b>
<b>L - 8.5</b>	<b>L - 34</b>	<b>L - 3Y26</b>

01/08		
<u>BEIGE</u> 7601 WHITE BASE		
QUART	GALLON	5 GALLON
<b>B - 7</b>	<b>B - 28</b>	<b>B - 2Y44</b>
<b>C - 29.5</b>	<b>C - 2Y22</b>	<b>C - 12Y14</b>
<b>F - 3</b>	<b>F - 12</b>	<b>F - 1Y12</b>

01/08		
<u>BLACK</u> 7606 NEUTRAL BASE		
QUART	GALLON	5 GALLON
<b>B - 2Y24</b>	<b>B - 10Y0</b>	<b>B - 50Y0</b>

# CABOT SOLID COLOR OIL DECK STAIN (VOC)

## MACHINE TINT FORMULAS FOR (7600 SERIES) SOLID COLOR OIL DECK STAIN (VOC)

For use with PPG Colorant System

01/08		
<u>BLUESTONE</u> 7608 MEDIUM BASE		
QUART	GALLON	5 GALLON
B - 24	B - 2Y0	B - 10Y0
C - 4	C - 16	C - 1Y32
V - 0.5	V - 2	V - 10
W - 18	W - 1Y24	W - 7Y24

01/08		
<u>BRICKSTONE</u> 7606 NEUTRAL BASE		
QUART	GALLON	5 GALLON
B - 42	B - 3Y24	B - 17Y24
F - 1Y0	F - 4Y0	F - 20Y0
V - 18	V - 1Y24	V - 7Y24
W - 28	W - 2Y16	W - 11Y32

01/08		
<u>BURNT HICKORY</u> 7606 NEUTRAL BASE		
QUART	GALLON	5 GALLON
B - 1Y36	B - 7Y0	B - 35Y0
C - 45	C - 3Y36	C - 18Y36
F - 9	F - 36	F - 3Y36
W - 6	W - 24	W - 2Y24

01/08		
<u>CANYON</u> 7607 DEEP BASE		
QUART	GALLON	5 GALLON
B - 10.5	B - 42	B - 4Y18
C - 33	C - 2Y36	C - 13Y36
F - 5	F - 20	F - 2Y4

01/08		
<u>CAPE COD GRAY</u> 7601 WHITE BASE		
QUART	GALLON	5 GALLON
B - 4	B - 16	B - 1Y32
C - 8	C - 32	C - 3Y16
L - 9	L - 36	L - 3Y36
M - 0.5	M - 2	M - 10

02/08		
<u>CAPTIVA</u> 7601 WHITE BASE		
QUART	GALLON	5 GALLON
D - 4	D - 16	D - 1Y32
E - 3.5	E - 14	E - 1Y22

# CABOT SOLID COLOR OIL DECK STAIN (VOC)

## MACHINE TINT FORMULAS FOR (7600 SERIES) SOLID COLOR OIL DECK STAIN (VOC)

For use with PPG Colorant System

CAVALRY <i>7607 DEEP BASE</i>		
QUART	GALLON	5 GALLON
<b>B - 5</b>	<b>B - 20</b>	<b>B - 2Y4</b>
<b>C - 1Y27</b>	<b>C - 6Y12</b>	<b>C - 31Y12</b>
<b>F - 1</b>	<b>F - 4</b>	<b>F - 20</b>

CHESAPEAKE <i>7608 MEDIUM BASE</i>		
QUART	GALLON	5 GALLON
<b>B - 7.5</b>	<b>B - 30</b>	<b>B - 3Y6</b>
<b>C - 6</b>	<b>C - 24</b>	<b>C - 2Y24</b>
<b>E - 21</b>	<b>E - 1Y36</b>	<b>E - 8Y36</b>
<b>V - 1</b>	<b>V - 4</b>	<b>V - 20</b>

CHESTNUT BROWN <i>7606 NEUTRAL BASE</i>		
QUART	GALLON	5 GALLON
<b>B - 21.5</b>	<b>B - 1Y38</b>	<b>B - 8Y46</b>
<b>C - 1Y18</b>	<b>C - 5Y24</b>	<b>C - 27Y24</b>
<b>F - 15</b>	<b>F - 1Y12</b>	<b>F - 6Y12</b>
<b>W - 8</b>	<b>W - 32</b>	<b>W - 3Y16</b>

CINDER <i>7608 MEDIUM BASE</i>		
QUART	GALLON	5 GALLON
<b>B - 3</b>	<b>B - 12</b>	<b>B - 1Y12</b>
<b>C - 5</b>	<b>C - 20</b>	<b>C - 2Y4</b>
<b>L - 13</b>	<b>L - 1Y4</b>	<b>L - 5Y20</b>
<b>W - 30.5</b>	<b>W - 2Y26</b>	<b>W - 12Y34</b>

COLONIAL YELLOW <i>7608 MEDIUM BASE</i>		
QUART	GALLON	5 GALLON
<b>F - 0.5</b>	<b>F - 2</b>	<b>F - 10</b>
<b>L - 6</b>	<b>L - 24</b>	<b>L - 2Y24</b>
<b>W - 6</b>	<b>W - 24</b>	<b>W - 2Y24</b>
<b>Z - 33</b>	<b>Z - 2Y36</b>	<b>Z - 13Y36</b>

CORAL <i>7601 WHITE BASE</i>		
QUART	GALLON	5 GALLON
<b>C - 15</b>	<b>C - 1Y12</b>	<b>C - 6Y12</b>
<b>F - 5</b>	<b>F - 20</b>	<b>F - 2Y4</b>
<b>G - 1.5</b>	<b>G - 6</b>	<b>G - 30</b>
<b>L - 6.5</b>	<b>L - 26</b>	<b>L - 2Y34</b>

# CABOT SOLID COLOR OIL DECK STAIN (VOC)

## MACHINE TINT FORMULAS FOR (7600 SERIES) SOLID COLOR OIL DECK STAIN (VOC)

For use with PPG Colorant System

<i>01/08</i>		
<b>CORDOVAN BROWN</b> <i>7606 NEUTRAL BASE</i>		
QUART	GALLON	5 GALLON
<b>B - 2Y0</b> <b>E - 6</b> <b>F - 24</b>	<b>B - 8Y0</b> <b>E - 24</b> <b>F - 2Y0</b>	<b>B - 40Y0</b> <b>E - 2Y24</b> <b>F - 10Y0</b>

<i>01/08</i>		
<b>DARK GRAY</b> <i>7607 DEEP BASE</i>		
QUART	GALLON	5 GALLON
<b>B - 31</b> <b>C - 14.5</b> <b>F - 2</b> <b>W - 6</b>	<b>B - 2Y28</b> <b>C - 1Y10</b> <b>F - 8</b> <b>W - 24</b>	<b>B - 12Y44</b> <b>C - 6Y2</b> <b>F - 40</b> <b>W - 2Y24</b>

<i>01/08</i>		
<b>DARK SLATE</b> <i>7606 NEUTRAL BASE</i>		
QUART	GALLON	5 GALLON
<b>B - 2Y0</b> <b>W - 21</b>	<b>B - 8Y0</b> <b>W - 1Y36</b>	<b>B - 40Y0</b> <b>W - 8Y36</b>

<i>01/08</i>		
<b>DEEP FOREST</b> <i>7606 NEUTRAL BASE</i>		
QUART	GALLON	5 GALLON
<b>B - 19.5</b> <b>D - 33</b> <b>L - 1Y41</b>	<b>B - 1Y30</b> <b>D - 2Y36</b> <b>L - 7Y20</b>	<b>B - 8Y6</b> <b>D - 13Y36</b> <b>L - 37Y4</b>

<i>01/08</i>		
<b>DESERT BLUSH</b> <i>7601 WHITE BASE</i>		
QUART	GALLON	5 GALLON
<b>B - 12.5</b> <b>C - 19</b> <b>F - 5.5</b>	<b>B - 1Y2</b> <b>C - 1Y28</b> <b>F - 22</b>	<b>B - 5Y10</b> <b>C - 7Y44</b> <b>F - 2Y14</b>

<i>01/08</i>		
<b>DESERT SAND</b> <i>7608 MEDIUM BASE</i>		
QUART	GALLON	5 GALLON
<b>B - 6</b> <b>C - 35</b> <b>F - 2.5</b>	<b>B - 24</b> <b>C - 2Y44</b> <b>F - 10</b>	<b>B - 2Y24</b> <b>C - 14Y28</b> <b>F - 1Y2</b>

# CABOT SOLID COLOR OIL DECK STAIN (VOC)

## MACHINE TINT FORMULAS FOR (7600 SERIES) SOLID COLOR OIL DECK STAIN (VOC)

For use with PPG Colorant System

01/08		
<u>DRIFTWOOD GRAY</u> 7608 MEDIUM BASE		
QUART	GALLON	5 GALLON
<b>B - 24</b>	<b>B - 2Y0</b>	<b>B - 10Y0</b>
<b>C - 10</b>	<b>C - 40</b>	<b>C - 4Y8</b>
<b>L - 4</b>	<b>L - 16</b>	<b>L - 1Y32</b>
<b>W - 30</b>	<b>W - 2Y24</b>	<b>W - 12Y24</b>

01/08		
<u>DUNE GRAY</u> 7608 MEDIUM BASE		
QUART	GALLON	5 GALLON
<b>B - 18.5</b>	<b>B - 1Y26</b>	<b>B - 7Y34</b>
<b>C - 26.5</b>	<b>C - 2Y10</b>	<b>C - 11Y2</b>
<b>F - 2.5</b>	<b>F - 10</b>	<b>F - 1Y2</b>
<b>W - 42</b>	<b>W - 3Y24</b>	<b>W - 17Y24</b>

01/08		
<u>DUSK</u> 7601 WHITE BASE		
QUART	GALLON	5 GALLON
<b>B - 13.5</b>	<b>B - 1Y6</b>	<b>B - 5Y30</b>
<b>F - 3</b>	<b>F - 12</b>	<b>F - 1Y12</b>
<b>Z - 3.5</b>	<b>Z - 14</b>	<b>Z - 1Y22</b>

01/08		
<u>EARTHEN CLAY</u> 7608 MEDIUM BASE		
QUART	GALLON	5 GALLON
<b>B - 3</b>	<b>B - 12</b>	<b>B - 1Y12</b>
<b>C - 13.5</b>	<b>C - 1Y6</b>	<b>C - 5Y30</b>
<b>F - 9</b>	<b>F - 36</b>	<b>F - 3Y36</b>
<b>W - 6</b>	<b>W - 24</b>	<b>W - 2Y24</b>

01/08		
<u>EVERGREEN</u> 7606 NEUTRAL BASE		
QUART	GALLON	5 GALLON
<b>B - 17</b>	<b>B - 1Y20</b>	<b>B - 7Y4</b>
<b>D - 1Y12</b>	<b>D - 5Y0</b>	<b>D - 25Y0</b>
<b>W - 6</b>	<b>W - 24</b>	<b>W - 2Y24</b>
<b>Z - 24</b>	<b>Z - 2Y0</b>	<b>Z - 10Y0</b>

01/08		
<u>FEDERAL BLUE</u> 7607 DEEP BASE		
QUART	GALLON	5 GALLON
<b>B - 26.5</b>	<b>B - 2Y10</b>	<b>B - 11Y2</b>
<b>C - 4.5</b>	<b>C - 18</b>	<b>C - 1Y42</b>
<b>E - 30</b>	<b>E - 2Y24</b>	<b>E - 12Y24</b>
<b>W - 6.5</b>	<b>W - 26</b>	<b>W - 2Y34</b>

# CABOT SOLID COLOR OIL DECK STAIN (VOC)

## MACHINE TINT FORMULAS FOR (7600 SERIES) SOLID COLOR OIL DECK STAIN (VOC)

For use with PPG Colorant System

FIELDSTONE <i>7601 WHITE BASE</i>		
QUART	GALLON	5 GALLON
<b>B - 19</b>	<b>B - 1Y28</b>	<b>B - 7Y44</b>
<b>C - 13.5</b>	<b>C - 1Y6</b>	<b>C - 5Y30</b>
<b>F - 2</b>	<b>F - 8</b>	<b>F - 40</b>

FOGHORN <i>7601 WHITE BASE</i>		
QUART	GALLON	5 GALLON
<b>B - 0.5</b>	<b>B - 2</b>	<b>B - 10</b>
<b>C - 2</b>	<b>C - 8</b>	<b>C - 40</b>
<b>D - 1</b>	<b>D - 4</b>	<b>D - 20</b>
<b>L - 7</b>	<b>L - 28</b>	<b>L - 2Y44</b>

FOOTHILL <i>7607 DEEP BASE</i>		
QUART	GALLON	5 GALLON
<b>B - 39.5</b>	<b>B - 3Y14</b>	<b>B - 16Y22</b>
<b>C - 11</b>	<b>C - 44</b>	<b>C - 4Y28</b>
<b>E - 15.5</b>	<b>E - 1Y14</b>	<b>E - 6Y22</b>
<b>F - 1</b>	<b>F - 4</b>	<b>F - 20</b>

FRONTIER <i>7606 NEUTRAL BASE</i>		
QUART	GALLON	5 GALLON
<b>B - 4</b>	<b>B - 16</b>	<b>B - 1Y32</b>
<b>C - 1Y40</b>	<b>C - 7Y16</b>	<b>C - 36Y32</b>
<b>F - 7</b>	<b>F - 28</b>	<b>F - 2Y44</b>
<b>W - 24</b>	<b>W - 2Y0</b>	<b>W - 10Y0</b>

GLACIER <i>7601 WHITE BASE</i>		
QUART	GALLON	5 GALLON
<b>B - 3</b>	<b>B - 12</b>	<b>B - 1Y12</b>
<b>C - 1</b>	<b>C - 4</b>	<b>C - 20</b>
<b>E - 2</b>	<b>E - 8</b>	<b>E - 40</b>
<b>L - 5.5</b>	<b>L - 22</b>	<b>L - 2Y14</b>

GOLDEN HUSK <i>7607 DEEP BASE</i>		
QUART	GALLON	5 GALLON
<b>B - 8</b>	<b>B - 32</b>	<b>B - 3Y16</b>
<b>C - 1Y27.5</b>	<b>C - 6Y14</b>	<b>C - 31Y22</b>
<b>L - 7.5</b>	<b>L - 30</b>	<b>L - 3Y6</b>
<b>W - 11</b>	<b>W - 44</b>	<b>W - 4Y28</b>

# CABOT SOLID COLOR OIL DECK STAIN (VOC)

## MACHINE TINT FORMULAS FOR (7600 SERIES) SOLID COLOR OIL DECK STAIN (VOC)

For use with PPG Colorant System

01/08		
GRANITE <i>7608 MEDIUM BASE</i>		
QUART	GALLON	5 GALLON
<b>B - 15</b>	<b>B - 1Y12</b>	<b>B - 6Y12</b>
<b>C - 5</b>	<b>C - 20</b>	<b>C - 2Y4</b>
<b>W - 4</b>	<b>W - 16</b>	<b>W - 1Y32</b>

01/08		
GRAY MOSS <i>7601 WHITE BASE</i>		
QUART	GALLON	5 GALLON
<b>B - 17</b>	<b>B - 1Y20</b>	<b>B - 7Y4</b>
<b>C - 18.5</b>	<b>C - 1Y26</b>	<b>C - 7Y34</b>
<b>D - 4</b>	<b>D - 16</b>	<b>D - 1Y32</b>

02/08		
HEATHER <i>7601 WHITE BASE</i>		
QUART	GALLON	5 GALLON
<b>E - 5</b>	<b>E - 20</b>	<b>E - 2Y4</b>
<b>F - 1.5</b>	<b>F - 6</b>	<b>F - 30</b>
<b>V - 4.5</b>	<b>V - 18</b>	<b>V - 1Y42</b>

01/08		
HEDGEROW <i>7608 MEDIUM BASE</i>		
QUART	GALLON	5 GALLON
<b>B - 31.5</b>	<b>B - 2Y30</b>	<b>B - 13Y6</b>
<b>C - 28.5</b>	<b>C - 2Y18</b>	<b>C - 11Y42</b>
<b>D - 13.5</b>	<b>D - 1Y6</b>	<b>D - 5Y30</b>

01/08		
INDIAN CORN <i>7606 NEUTRAL BASE</i>		
QUART	GALLON	5 GALLON
<b>E - 2</b>	<b>E - 8</b>	<b>E - 40</b>
<b>F - 36</b>	<b>F - 3Y0</b>	<b>F - 15Y0</b>
<b>M - 9</b>	<b>M - 36</b>	<b>M - 3Y36</b>
<b>V - 1Y3</b>	<b>V - 4Y12</b>	<b>V - 21Y12</b>
<b>W - 7</b>	<b>W - 28</b>	<b>W - 2Y44</b>

01/08		
JUNIPER <i>7601 WHITE BASE</i>		
QUART	GALLON	5 GALLON
<b>B - 11</b>	<b>B - 44</b>	<b>B - 4Y28</b>
<b>C - 17</b>	<b>C - 1Y20</b>	<b>C - 7Y4</b>
<b>D - 2</b>	<b>D - 8</b>	<b>D - 40</b>
<b>Z - 2</b>	<b>Z - 8</b>	<b>Z - 40</b>



# CABOT SOLID COLOR OIL DECK STAIN (VOC)

## MACHINE TINT FORMULAS FOR (7600 SERIES) SOLID COLOR OIL DECK STAIN (VOC)

For use with PPG Colorant System

LINEN 7601 WHITE BASE		
QUART	GALLON	5 GALLON
<b>C - 2.5</b>	<b>C - 10</b>	<b>C - 1Y2</b>
<b>G - 3</b>	<b>G - 12</b>	<b>G - 1Y12</b>
<b>L - 1</b>	<b>L - 4</b>	<b>L - 20</b>
<b>W - 36</b>	<b>W - 3Y0</b>	<b>W - 15Y0</b>

MILKWEED 7601 WHITE BASE		
QUART	GALLON	5 GALLON
<b>B - 1</b>	<b>B - 4</b>	<b>B - 20</b>
<b>C - 8</b>	<b>C - 32</b>	<b>C - 3Y16</b>
<b>W - 14.5</b>	<b>W - 1Y10</b>	<b>W - 6Y2</b>

MISSION BROWN 7606 NEUTRAL BASE		
QUART	GALLON	5 GALLON
<b>B - 39</b>	<b>B - 3Y12</b>	<b>B - 16Y12</b>
<b>C - 18</b>	<b>C - 1Y24</b>	<b>C - 7Y24</b>
<b>F - 21</b>	<b>F - 1Y36</b>	<b>F - 8Y36</b>
<b>Z - 6</b>	<b>Z - 24</b>	<b>Z - 2Y24</b>

MOUNTAIN BRUSH 7608 MEDIUM BASE		
QUART	GALLON	5 GALLON
<b>B - 18</b>	<b>B - 1Y24</b>	<b>B - 7Y24</b>
<b>C - 18</b>	<b>C - 1Y24</b>	<b>C - 7Y24</b>
<b>M - 3.5</b>	<b>M - 14</b>	<b>M - 1Y22</b>

MOUNTAIN LAUREL 7606 NEUTRAL BASE		
QUART	GALLON	5 GALLON
<b>C - 4.5</b>	<b>C - 18</b>	<b>C - 1Y42</b>
<b>D - 39</b>	<b>D - 3Y12</b>	<b>D - 16Y12</b>
<b>E - 26</b>	<b>E - 2Y8</b>	<b>E - 10Y40</b>
<b>L - 39</b>	<b>L - 3Y12</b>	<b>L - 16Y12</b>
<b>W - 16.5</b>	<b>W - 1Y18</b>	<b>W - 6Y42</b>

MULBERRY 7608 MEDIUM BASE		
QUART	GALLON	5 GALLON
<b>B - 16</b>	<b>B - 1Y16</b>	<b>B - 6Y32</b>
<b>C - 16</b>	<b>C - 1Y16</b>	<b>C - 6Y32</b>
<b>D - 2</b>	<b>D - 8</b>	<b>D - 40</b>
<b>E - 1.5</b>	<b>E - 6</b>	<b>E - 30</b>

# CABOT SOLID COLOR OIL DECK STAIN (VOC)

## MACHINE TINT FORMULAS FOR (7600 SERIES) SOLID COLOR OIL DECK STAIN (VOC)

For use with PPG Colorant System

01/08		
<u>NANTUCKET WHITE</u> 7601 WHITE BASE		
QUART	GALLON	5 GALLON
<b>B - 2</b> <b>C - 6</b> <b>W - 36</b>	<b>B - 8</b> <b>C - 24</b> <b>W - 3Y0</b>	<b>B - 40</b> <b>C - 2Y24</b> <b>W - 15Y0</b>

01/08		
<u>NAPA VINE</u> 7608 MEDIUM BASE		
QUART	GALLON	5 GALLON
<b>B - 7</b> <b>C - 21</b> <b>D - 7</b>	<b>B - 28</b> <b>C - 1Y36</b> <b>D - 28</b>	<b>B - 2Y44</b> <b>C - 8Y36</b> <b>D - 2Y44</b>

01/08		
<u>NAVAJO WHITE</u> 7601 WHITE BASE		
QUART	GALLON	5 GALLON
<b>B - 3</b> <b>C - 9</b> <b>W - 15</b>	<b>B - 12</b> <b>C - 36</b> <b>W - 1Y12</b>	<b>B - 1Y12</b> <b>C - 3Y36</b> <b>W - 6Y12</b>

01/08		
<u>NEW CEDAR</u> 7606 NEUTRAL BASE		
QUART	GALLON	5 GALLON
<b>B - 3</b> <b>C - 1Y14</b> <b>F - 2</b> <b>L - 13.5</b> <b>W - 20.5</b>	<b>B - 12</b> <b>C - 5Y8</b> <b>F - 8</b> <b>L - 1Y6</b> <b>W - 1Y34</b>	<b>B - 1Y12</b> <b>C - 25Y40</b> <b>F - 40</b> <b>L - 5Y30</b> <b>W - 8Y26</b>

01/08		
<u>NEW REDWOOD</u> 7606 NEUTRAL BASE		
QUART	GALLON	5 GALLON
<b>B - 13</b> <b>C - 1Y10</b> <b>F - 15</b> <b>W - 7.5</b> <b>Z - 14</b>	<b>B - 1Y4</b> <b>C - 4Y40</b> <b>F - 1Y12</b> <b>W - 30</b> <b>Z - 1Y8</b>	<b>B - 5Y20</b> <b>C - 24Y8</b> <b>F - 6Y12</b> <b>W - 3Y6</b> <b>Z - 5Y40</b>

01/08		
<u>NEWBURYPORT BLUE</u> 7606 NEUTRAL BASE		
QUART	GALLON	5 GALLON
<b>B - 24</b> <b>C - 2</b> <b>E - 1Y12</b> <b>V - 24</b> <b>W - 12</b>	<b>B - 2Y0</b> <b>C - 8</b> <b>E - 5Y0</b> <b>V - 2Y0</b> <b>W - 1Y0</b>	<b>B - 10Y0</b> <b>C - 40</b> <b>E - 25Y0</b> <b>V - 10Y0</b> <b>W - 5Y0</b>

# CABOT SOLID COLOR OIL DECK STAIN (VOC)

## MACHINE TINT FORMULAS FOR (7600 SERIES) SOLID COLOR OIL DECK STAIN (VOC)

For use with PPG Colorant System

01/08		
NEWPORT BLUE <i>7608 MEDIUM BASE</i>		
QUART	GALLON	5 GALLON
<b>C - 18</b>	<b>C - 1Y24</b>	<b>C - 7Y24</b>
<b>E - 30</b>	<b>E - 2Y24</b>	<b>E - 12Y24</b>
<b>F - 5.5</b>	<b>F - 22</b>	<b>F - 2Y14</b>

01/08		
OAK BROWN <i>7606 NEUTRAL BASE</i>		
QUART	GALLON	5 GALLON
<b>B - 29.5</b>	<b>B - 2Y22</b>	<b>B - 12Y14</b>
<b>C - 16.5</b>	<b>C - 1Y18</b>	<b>C - 6Y42</b>
<b>F - 17</b>	<b>F - 1Y20</b>	<b>F - 7Y4</b>
<b>W - 9</b>	<b>W - 36</b>	<b>W - 3Y36</b>

01/08		
OCHRE <i>7606 NEUTRAL BASE</i>		
QUART	GALLON	5 GALLON
<b>C - 46</b>	<b>C - 3Y40</b>	<b>C - 19Y8</b>
<b>F - 6.5</b>	<b>F - 26</b>	<b>F - 2Y34</b>
<b>L - 24</b>	<b>L - 2Y0</b>	<b>L - 10Y0</b>
<b>W - 36</b>	<b>W - 3Y0</b>	<b>W - 15Y0</b>

01/08		
ORACLE SUN <i>7608 MEDIUM BASE</i>		
QUART	GALLON	5 GALLON
<b>B - 1</b>	<b>B - 4</b>	<b>B - 20</b>
<b>F - 3</b>	<b>F - 12</b>	<b>F - 1Y12</b>
<b>M - 1.5</b>	<b>M - 6</b>	<b>M - 30</b>
<b>Z - 20</b>	<b>Z - 1Y32</b>	<b>Z - 8Y16</b>

01/08		
PACIFIC <i>7601 WHITE BASE</i>		
QUART	GALLON	5 GALLON
<b>C - 2</b>	<b>C - 8</b>	<b>C - 40</b>
<b>E - 14.5</b>	<b>E - 1Y10</b>	<b>E - 6Y2</b>
<b>L - 12.5</b>	<b>L - 1Y2</b>	<b>L - 5Y10</b>
<b>M - 1</b>	<b>M - 4</b>	<b>M - 20</b>

01/08		
PEPPERWOOD <i>7608 MEDIUM BASE</i>		
QUART	GALLON	5 GALLON
<b>B - 14</b>	<b>B - 1Y8</b>	<b>B - 5Y40</b>
<b>C - 12</b>	<b>C - 1Y0</b>	<b>C - 5Y0</b>
<b>F - 0.5</b>	<b>F - 2</b>	<b>F - 10</b>
<b>L - 12</b>	<b>L - 1Y0</b>	<b>L - 5Y0</b>

# CABOT SOLID COLOR OIL DECK STAIN (VOC)

## MACHINE TINT FORMULAS FOR (7600 SERIES) SOLID COLOR OIL DECK STAIN (VOC)

For use with PPG Colorant System

PEWTER GRAY 7608 MEDIUM BASE		
QUART	GALLON	5 GALLON
B - 27.5 C - 19 F - 1.5	B - 2Y14 C - 1Y28 F - 6	B - 11Y22 C - 7Y44 F - 30

PLUM ISLAND 7606 NEUTRAL BASE		
QUART	GALLON	5 GALLON
B - 9 C - 27 E - 11 V - 1Y36 W - 1	B - 36 C - 2Y12 E - 44 V - 7Y0 W - 4	B - 3Y36 C - 11Y12 E - 4Y28 V - 35Y0 W - 20

PONDEROSA 7608 MEDIUM BASE		
QUART	GALLON	5 GALLON
B - 30 C - 12 F - 12	B - 2Y24 C - 1Y0 F - 1Y0	B - 12Y24 C - 5Y0 F - 5Y0

QUARRY STONE 7601 WHITE BASE		
QUART	GALLON	5 GALLON
B - 5.5 C - 9 F - 1.5	B - 22 C - 36 F - 6	B - 2Y14 C - 3Y36 F - 30

RED CEDAR 7606 NEUTRAL BASE		
QUART	GALLON	5 GALLON
B - 9 C - 31.5 F - 6 W - 42	B - 36 C - 2Y30 F - 24 W - 3Y24	B - 3Y36 C - 13Y6 F - 2Y24 W - 17Y24

REDWOOD 7606 NEUTRAL BASE		
QUART	GALLON	5 GALLON
B - 15 F - 24 W - 36.5 Z - 1Y12	B - 1Y12 F - 2Y0 W - 3Y2 Z - 5Y0	B - 6Y12 F - 10Y0 W - 15Y10 Z - 25Y0

# CABOT SOLID COLOR OIL DECK STAIN (VOC)

## MACHINE TINT FORMULAS FOR (7600 SERIES) SOLID COLOR OIL DECK STAIN (VOC)

For use with PPG Colorant System

ROCKY TUNDRA <i>7606 NEUTRAL BASE</i>		
QUART	GALLON	5 GALLON
<b>B - 38</b>	<b>B - 3Y8</b>	<b>B - 15Y40</b>
<b>C - 1Y18</b>	<b>C - 5Y24</b>	<b>C - 27Y24</b>
<b>L - 3</b>	<b>L - 12</b>	<b>L - 1Y12</b>
<b>W - 6</b>	<b>W - 24</b>	<b>W - 2Y24</b>

ROSE QUARTZ <i>7601 WHITE BASE</i>		
QUART	GALLON	5 GALLON
<b>L - 3.5</b>	<b>L - 14</b>	<b>L - 1Y22</b>
<b>M - 7</b>	<b>M - 28</b>	<b>M - 2Y44</b>
<b>Z - 4.5</b>	<b>Z - 18</b>	<b>Z - 1Y42</b>

SAGEBRUSH <i>7607 DEEP BASE</i>		
QUART	GALLON	5 GALLON
<b>B - 30.5</b>	<b>B - 2Y26</b>	<b>B - 12Y34</b>
<b>C - 38.5</b>	<b>C - 3Y10</b>	<b>C - 16Y2</b>
<b>Z - 8</b>	<b>Z - 32</b>	<b>Z - 3Y16</b>

SALT MARSH <i>7608 MEDIUM BASE</i>		
QUART	GALLON	5 GALLON
<b>C - 21</b>	<b>C - 1Y36</b>	<b>C - 8Y36</b>
<b>F - 0.5</b>	<b>F - 2</b>	<b>F - 10</b>
<b>G - 4</b>	<b>G - 16</b>	<b>G - 1Y32</b>
<b>L - 42.5</b>	<b>L - 3Y26</b>	<b>L - 17Y34</b>
<b>W - 28</b>	<b>W - 2Y16</b>	<b>W - 11Y32</b>

SANDSTONE <i>7606 NEUTRAL BASE</i>		
QUART	GALLON	5 GALLON
<b>B - 19</b>	<b>B - 1Y28</b>	<b>B - 7Y44</b>
<b>C - 16</b>	<b>C - 1Y16</b>	<b>C - 6Y32</b>
<b>F - 9</b>	<b>F - 36</b>	<b>F - 3Y36</b>
<b>W - 42</b>	<b>W - 3Y24</b>	<b>W - 17Y24</b>

SEACOAST GRAY <i>7601 WHITE BASE</i>		
QUART	GALLON	5 GALLON
<b>B - 4</b>	<b>B - 16</b>	<b>B - 1Y32</b>
<b>C - 2</b>	<b>C - 8</b>	<b>C - 40</b>
<b>L - 6.5</b>	<b>L - 26</b>	<b>L - 2Y34</b>

# CABOT SOLID COLOR OIL DECK STAIN (VOC)

## MACHINE TINT FORMULAS FOR (7600 SERIES) SOLID COLOR OIL DECK STAIN (VOC)

For use with PPG Colorant System

SEQUOIA 7606 NEUTRAL BASE		
QUART	GALLON	5 GALLON
<b>B - 10</b>	<b>B - 40</b>	<b>B - 4Y8</b>
<b>C - 2Y0</b>	<b>C - 8Y0</b>	<b>C - 40Y0</b>
<b>F - 19.5</b>	<b>F - 1Y30</b>	<b>F - 8Y6</b>
<b>W - 6</b>	<b>W - 24</b>	<b>W - 2Y24</b>

SHADE TREE 7607 DEEP BASE		
QUART	GALLON	5 GALLON
<b>B - 17</b>	<b>B - 1Y20</b>	<b>B - 7Y4</b>
<b>C - 44</b>	<b>C - 3Y32</b>	<b>C - 18Y16</b>
<b>D - 14</b>	<b>D - 1Y8</b>	<b>D - 5Y40</b>

SHALE 7608 MEDIUM BASE		
QUART	GALLON	5 GALLON
<b>B - 40.5</b>	<b>B - 3Y18</b>	<b>B - 16Y42</b>
<b>C - 10.5</b>	<b>C - 42</b>	<b>C - 4Y18</b>
<b>E - 3.5</b>	<b>E - 14</b>	<b>E - 1Y22</b>
<b>W - 9</b>	<b>W - 36</b>	<b>W - 3Y36</b>

SIENNA SAND 7608 MEDIUM BASE		
QUART	GALLON	5 GALLON
<b>B - 4.5</b>	<b>B - 18</b>	<b>B - 1Y42</b>
<b>C - 18</b>	<b>C - 1Y24</b>	<b>C - 7Y24</b>
<b>F - 2.5</b>	<b>F - 10</b>	<b>F - 1Y2</b>

SILVER BEECH 7601 WHITE BASE		
QUART	GALLON	5 GALLON
<b>B - 6</b>	<b>B - 24</b>	<b>B - 2Y24</b>
<b>C - 6.5</b>	<b>C - 26</b>	<b>C - 2Y34</b>
<b>L - 0.5</b>	<b>L - 2</b>	<b>L - 10</b>
<b>W - 5</b>	<b>W - 20</b>	<b>W - 2Y4</b>

SILVER LINING 7601 WHITE BASE		
QUART	GALLON	5 GALLON
<b>B - 3</b>	<b>B - 12</b>	<b>B - 1Y12</b>
<b>C - 4</b>	<b>C - 16</b>	<b>C - 1Y32</b>
<b>D - 0.5</b>	<b>D - 2</b>	<b>D - 10</b>
<b>L - 2</b>	<b>L - 8</b>	<b>L - 40</b>

# CABOT SOLID COLOR OIL DECK STAIN (VOC)

## MACHINE TINT FORMULAS FOR (7600 SERIES) SOLID COLOR OIL DECK STAIN (VOC)

For use with PPG Colorant System

SKY GRAY 7601 WHITE BASE		
QUART	GALLON	5 GALLON
<b>B - 8</b> <b>C - 4</b>	<b>B - 32</b> <b>C - 16</b>	<b>B - 3Y16</b> <b>C - 1Y32</b>

SLATE GRAY 7606 NEUTRAL BASE		
QUART	GALLON	5 GALLON
<b>B - 1Y23</b> <b>E - 9</b> <b>F - 1.5</b> <b>W - 31.5</b>	<b>B - 5Y44</b> <b>E - 36</b> <b>F - 6</b> <b>W - 2Y30</b>	<b>B - 29Y28</b> <b>E - 3Y36</b> <b>F - 30</b> <b>W - 13Y6</b>

SMOKE BLUE 7601 WHITE BASE		
QUART	GALLON	5 GALLON
<b>B - 22</b> <b>C - 4.5</b> <b>D - 2.5</b>	<b>B - 1Y40</b> <b>C - 18</b> <b>D - 10</b>	<b>B - 9Y8</b> <b>C - 1Y42</b> <b>D - 1Y2</b>

SNOWFIELD 7601 WHITE BASE		
QUART	GALLON	5 GALLON
<b>B - 2</b> <b>G - 2.5</b>	<b>B - 8</b> <b>G - 10</b>	<b>B - 40</b> <b>G - 1Y2</b>

SPANISH MOSS 7606 NEUTRAL BASE		
QUART	GALLON	5 GALLON
<b>B - 1Y5</b> <b>C - 45</b> <b>F - 8</b> <b>W - 24</b>	<b>B - 4Y20</b> <b>C - 3Y36</b> <b>F - 32</b> <b>W - 2Y0</b>	<b>B - 22Y4</b> <b>C - 18Y36</b> <b>F - 3Y16</b> <b>W - 10Y0</b>

SPRUCE BLUE 7607 DEEP BASE		
QUART	GALLON	5 GALLON
<b>B - 30</b> <b>C - 9.5</b> <b>E - 10</b> <b>W - 15</b>	<b>B - 2Y24</b> <b>C - 38</b> <b>E - 40</b> <b>W - 1Y12</b>	<b>B - 12Y24</b> <b>C - 3Y46</b> <b>E - 4Y8</b> <b>W - 6Y12</b>

# CABOT SOLID COLOR OIL DECK STAIN (VOC)

## MACHINE TINT FORMULAS FOR (7600 SERIES) SOLID COLOR OIL DECK STAIN (VOC)

For use with PPG Colorant System

01/08		
SYCAMORE <i>7608 MEDIUM BASE</i>		
QUART	GALLON	5 GALLON
<b>B - 20.5</b> <b>C - 42</b> <b>D - 3</b>	<b>B - 1Y34</b> <b>C - 3Y24</b> <b>D - 12</b>	<b>B - 8Y26</b> <b>C - 17Y24</b> <b>D - 1Y12</b>

01/08		
TAUPE <i>7607 DEEP BASE</i>		
QUART	GALLON	5 GALLON
<b>B - 5.5</b> <b>C - 21</b> <b>F - 2</b> <b>L - 24</b>	<b>B - 22</b> <b>C - 1Y36</b> <b>F - 8</b> <b>L - 2Y0</b>	<b>B - 2Y14</b> <b>C - 8Y36</b> <b>F - 40</b> <b>L - 10Y0</b>

01/08		
TERRA <i>7608 MEDIUM BASE</i>		
QUART	GALLON	5 GALLON
<b>B - 8</b> <b>F - 36</b> <b>Z - 18</b>	<b>B - 32</b> <b>F - 3Y0</b> <b>Z - 1Y24</b>	<b>B - 3Y16</b> <b>F - 15Y0</b> <b>Z - 7Y24</b>

01/08		
THATCH <i>7608 MEDIUM BASE</i>		
QUART	GALLON	5 GALLON
<b>B - 19</b> <b>C - 16</b> <b>F - 2.5</b> <b>W - 9</b>	<b>B - 1Y28</b> <b>C - 1Y16</b> <b>F - 10</b> <b>W - 36</b>	<b>B - 7Y44</b> <b>C - 6Y32</b> <b>F - 1Y2</b> <b>W - 3Y36</b>

01/08		
THICKET <i>7607 DEEP BASE</i>		
QUART	GALLON	5 GALLON
<b>B - 41.5</b> <b>C - 40.5</b> <b>D - 13</b>	<b>B - 3Y22</b> <b>C - 3Y18</b> <b>D - 1Y4</b>	<b>B - 17Y14</b> <b>C - 16Y42</b> <b>D - 5Y20</b>

01/08		
TILE RED <i>7606 NEUTRAL BASE</i>		
QUART	GALLON	5 GALLON
<b>B - 7.5</b> <b>C - 9</b> <b>F - 40</b> <b>V - 1Y24</b>	<b>B - 30</b> <b>C - 36</b> <b>F - 3Y16</b> <b>V - 6Y0</b>	<b>B - 3Y6</b> <b>C - 3Y36</b> <b>F - 16Y32</b> <b>V - 30Y0</b>



# CABOT SOLID COLOR OIL DECK STAIN (VOC)

## MACHINE TINT FORMULAS FOR (7600 SERIES) SOLID COLOR OIL DECK STAIN (VOC)

For use with PPG Colorant System

<i>01/08</i>		
<b>TUSCAN GOLD</b>		
<i>7601 WHITE BASE</i>		
QUART	GALLON	5 GALLON
<b>C - 26.5</b>	<b>C - 2Y10</b>	<b>C - 11Y2</b>
<b>E - 1</b>	<b>E - 4</b>	<b>E - 20</b>
<b>F - 0.5</b>	<b>F - 2</b>	<b>F - 10</b>

<i>01/08</i>		
<b>VICTORY GRAY</b>		
<i>7608 MEDIUM BASE</i>		
QUART	GALLON	5 GALLON
<b>B - 0.5</b>	<b>B - 2</b>	<b>B - 10</b>
<b>C - 1</b>	<b>C - 4</b>	<b>C - 20</b>
<b>E - 10</b>	<b>E - 40</b>	<b>E - 4Y8</b>
<b>L - 37</b>	<b>L - 3Y4</b>	<b>L - 15Y20</b>

<i>01/08</i>		
<b>WOODED BOG</b>		
<i>7606 NEUTRAL BASE</i>		
QUART	GALLON	5 GALLON
<b>B - 1Y11</b>	<b>B - 4Y44</b>	<b>B - 24Y28</b>
<b>C - 1Y9</b>	<b>C - 4Y36</b>	<b>C - 23Y36</b>
<b>G - 24</b>	<b>G - 2Y0</b>	<b>G - 10Y0</b>
<b>W - 4</b>	<b>W - 16</b>	<b>W - 1Y32</b>